

A yellow rally car, likely a Ford Fiesta, is shown from a front-three-quarter view. It features a large 'DUNLOP' logo on the hood and a 'AJC Power' logo on the side. The car is on a track with other vehicles in the background.

2012-2013

MOTORSPORT TYRES



 **DUNLOP®**

WIN WITH DUNLOP

The Dunlop name has been synonymous with racing almost since the tyre was invented. Over 100 years later the Dunlop name is still seen at every race event. Winning is in the DNA of every tyre we produce. Our years of experience in racing guarantees we design tyres that are the very latest in today's technology that racers know they can depend on.



SLICKS

DUNLOP offer a comprehensive range of slick tyres to suit many track applications. Our technology is derived from decades of involvement in circuit racing at every level, from GT Racing, Endurance Racing, Touring Car Racing to Open Wheeler Racing. Built on advanced design and innovation our slicks offer to the competitor the best choice in modern motorsport technology.

Also available in a range of Wet Patterns



Size		Tread Width mm	Overall Diameter mm	Permitted Rim Width inch
10"	160/490-10 (cross ply)	214	480	5.0 - 7.0
13"	190/505R13	190	506	7.5 - 8.5
13"	190/535R13	221	541	7.5 - 9.5
13"	195/550R13	195	550	7.5 - 9.0
13"	215/525R13	215	524	8.0 - 9.0
13"	230/570R13	280	575	9.5 - 10.5
13"	240/525R13	240	524	8.0 - 10.0
13"	240/570R13	270	570	9.5 - 10.5
13"	250/550R13	250	550	9.0 - 10.5
13"	250/570R13	250	574	9.0 - 10.5
13"	265/525R13	265	522	9.5 - 11.0
13"	310/620R13	310	622	13.5 - 14.5
15"	190/570R15	190	572	7.0 - 8.0
15"	220/565R15	220	565	8.0 - 9.0
15"	225/585R15	225	586	8.0 - 10.0
15"	250/585R15	250	585	9.0 - 10.5
15"	275/585R15	275	585	9.5 - 11.0
16"	200/580R16	216	583	6.5 - 8.5
16"	205/600R16	205	600	7.0 - 9.0
16"	220/600R16	210	600	7.5 - 9.5
16"	265/590R16	265	590	9.0 - 10.0
16"	265/630R16	278	633	9.5 - 10.5
16"	290/625R16	290	625	10.0 - 12.0
16"	310/650R16	310	650	10.0 - 12.0
16"	325/700R16	325	700	10.0 - 13.0
17"	215/625R17	215	625	7.5 - 8.0
17"	235/45R17	235	450	7.5 - 9.5
17"	235/610R17	245	608	8.5 - 9.5
17"	240/625R17	240	625	8.0 - 9.0
17"	265/625R17	265	625	9.0 - 11.0
17"	280/680R17	280	680	10.0 - 11.0
17"	290/645R17	328	642	12.0 - 13.0
17"	300/640R17	300	645	10.0 - 12.0
18"	230/640R18	228	641	8.5 - 9.5
18"	235/640R18	248	640	8.5 - 10.0
18"	250/640R18	240	641	9.0 - 10.0
18"	260/655R18	260	663	10.0 - 12.0
18"	280/655R18	280	663	10.0 - 12.0
18"	290/675R18	290	675	11.0 - 13.0
18"	310/655R18	310	655	11.0 - 13.0
18"	330/680R18	330	710	12.0 - 14.0
18"	330/710R18	330	710	12.5 - 14.0

Slicks are available in a wide range of specifications of compounds. Contact your local distributor for further information.

DZ 03G

TARMAC RALLY / ENDURANCE RACING / TRACK DAY

The latest evolution in Dunlop's superb lineup of Tarmac Rally tires has a symmetrical, directional tread pattern with excellent drainage capability. New casing and profile designs lift dry performance over previous designs with improved "even wear" characteristics.

The DZ03G is the most popular choice for serious competitors in Tarmac Rally & Endurance events and since its introduction the DZ03G has been all dominant with overall wins and class wins in major National events:-

Tarmac Rally

Targa Tasmania	Grand Prix Rally
Targa West	Classic Tasmania Rally
Targa Wreath Point	Rally Tasmania
Clipsall 500 Rally	Lake Mountain Sprint
Adelaide Hills	Rallye Burnie
Mt Buller Sprint	Suncoast Classic
Classic Adelaide	Targa New Zealand

Circuit

Bathurst 12 Hour	Aust Production Car Champs
Australian 6 Hour	

Bathurst 12 Hour Production Race

2008, 2009, 2010, 2011

Australian Production Car Endurance Championships

2010, 2011

Voted best tyre by Motor Magazine in Semi Slick category

2008, 2009, 2010



A new range of Tarmac Rally R Spec tyres in 19" & 20" sizes due for release in mid 2012

	Size	Tread Width mm	Overall Diameter mm	Permitted Rim Width inch
10"	D93J 165/70R10 72H (D93J)	170	488	3.5 - 6.0
13"	175/60R13 77H	176	538	4.5 - 6.0
14"	185/60R14 82H	194	574	5.0 - 7.0
14"	195/60R14 86H	206	588	5.0 - 7.5
15"	195/50R15 82V	202	575	5.0 - 7.0
15"	195/55R15 84V	205	592	5.0 - 7.5
15"	205/50R15 85V	216	583	5.5 - 8.0
16"	205/50R16 87V	216	611	6.0 - 8.0
16"	205/55R16 89V	217	629	5.5 - 8.0
16"	225/45R16 89V	228	607	7.0 - 9.0
16"	225/50R16 92V	230	625	7.0 - 9.0
17"	215/45R17 87W	218	624	7.0 - 8.5
17"	225/45R17 90W	230	632	7.0 - 9.0
17"	235/45R17 93W	238	642	7.5 - 9.5
17"	245/40R17 91W	254	627	7.5 - 9.5
17"	255/40R17 94W	265	633	8.5 - 10.0
18"	225/40R18 92Y	235	634	7.5 - 9.0
18"	235/40R18 91W	248	642	8.0 - 9.5
18"	245/40R18 93W	253	650	8.0 - 9.5
18"	255/40R18 93W	267	660	8.5 - 10.0
18"	265/35R18 93W	279	642	9.0 - 10.5
18"	285/30R18 97Y	290	629	9.5 - 10.5
18"	295/30R18 98Y	299	634	10.0 - 11.0

Available in a wide range of compounds to suit many applications. Contact your local distributor for further information.

RALLY



DZ87-R NEW FOR 2012

Dunlop Rally Tyres are considered by many to be the best available. The DZ87-R is our latest release in forest rally tyres,

being both directional & asymmetrical. Available in a wide range of specifications for all conditions.

SP83-R

The SP83-R is a specialised tyre suitable for smaller vehicles.

SP85-R

The SP85-R is suitable for a wide range of conditions from mud to hard packed dirt. The SP85-R offers excellent traction, braking & durability.

DZ74-R

The DZ74-R is designed primarily for mud use on all vehicles in all positions, but shows substantial benefits over its competitors on front wheels of rear wheel drive vehicles on both loose and hard packed surfaces.

D83-J / D84-J

Dunlop have re-introduced this tyre for Classic tarmac rallying in several 60 & 70 series sizes. Suitable for all weather conditions.

	Size	Tread Width mm	Overall Diameter mm	Permitted Rim Width inch
DZ87-R	185/70R13 86Q	192	600	4.5 - 6.0
	185/65R14 86Q	192	609	5.0 - 6.0
	185/60R15 84Q	183	609	5.0 - 6.0
	185/65R15 88Q	192	629	5.0 - 6.5
	195/65R15 91Q	211	647	5.5 - 7.0
	205/65R15 94Q	214	647	5.5 - 7.5
SP83-R	175/70R13 83Q	180	582	4.5 - 5.5
SP85-R	165/80R13 83Q	168	600	4.5 - 5.5
	175/65R14 82Q	178	594	5.0 - 6.0
SP73-R	175/65R14 82Q	170	597	5.0 - 6.0
DZ74-R	185/65R14 86Q	182	610	5.0 - 6.5
	195/65R15 91Q	191	649	5.5 - 6.5
	205/65R15 94Q	195	664	5.5 - 7.5
Classic Sizes				
D83J	165/70R13	161	564	4.0 - 5.0
D83J	185/70R13	194	600	4.5 - 6.0
SP82R	195/70R13	200	608	5.5 - 6.5
D84J	195/60R14	202	589	5.0 - 7.5
D83J	185/70R15	195	640	5.0 - 6.5
D84J	205/60R15	210	630	5.5 - 8.0

Available in a range of specifications & compounds to suit all conditions. Contact your local distributor for further information.

DIREZZA SPORT Z1 STAR SPEC

HI-PERFORMANCE STREET /
TRACK DAY / DRIFTING

DIREZZA
SPORT Z1 

The Direzza Sport Z1 Star Spec is Dunlop's Extreme Performance street tyre developed for serious sports car, sports coupe and performance sedan enthusiasts looking for race tyre-like traction on the street or for use in track events, club racing or drifting.

The Direzza Sport Z1 Star Spec is for drivers who don't want to wait as long for their tires to come in during initial runs, as well as drivers of lighter weight vehicles who are often confronted with the task of working tire temperatures up to the point of generating peak grip.

- ⇒ Ultra high performance for street use
- ⇒ High grip compound & race type construction for track use where R spec tyres are not permitted
- ⇒ Fast and consistent lap times with responsive handling and cornering stability
- ⇒ Suitable for drifting
- ⇒ Excellent wet weather performance
- ⇒ Quick warm up with a wide range of operating temperatures



	Size	Tread Width mm	Overall Diameter mm	Permitted Rim Width inch
14"	185/60R14 82H	190	579	5.0 - 6.5
14"	195/60R14 86H	201	593	5.5 - 7.0
15"	195/50R15 82V	195	576	5.5 - 7.0
15"	195/55R15 84V	201	597	5.5 - 7.0
15"	205/50R15 86V	213	587	5.5 - 7.5
15"	205/60R15 91H	207	623	5.5 - 8.0
16"	205/45R16 83W	205	510	6.5 - 7.5
16"	205/50R16 87V	213	612	5.5 - 7.5
16"	205/55R16 89V	213	632	5.5 - 7.5
16"	225/50R16 92V	234	632	6.0 - 8.0
17"	215/40R17 83W	222	605	7.0 - 8.5
17"	215/45R17 87W	213	627	7.0 - 8.0
17"	225/45R17 90W	226	635	7.0 - 8.5
17"	235/40R17 90W	244	620	8.0 - 9.5
17"	235/45R17 93W	238	645	7.5 - 9.5
17"	245/40R17 91W	249	628	7.5 - 9.5
17"	255/40R17 94W	262	635	8.5 - 10.0
18"	225/40R18 88W	234	637	7.5 - 9.0
18"	225/45R18 91W	226	658	7.0 - 8.5
18"	235/40R18 91W	244	645	8.0 - 9.5
18"	245/40R18 93W	249	653	8.0 - 9.5
18"	245/45R18 96W	245	676	7.5 - 9.0
18"	255/35R18 90W	264	635	8.5 - 10.5
18"	265/35R18 93W	272	643	9.0 - 10.5
18"	275/35R18 95W	279	650	9.0 - 11.0
19"	255/35R19 92W	264	660	8.5 - 10.5
19"	275/30R19 92W	272	648	9.0 - 10.0

HISTORIC TYRES

Dunlop continues to make historic and vintage race tyres in the original moulds. These are made in a modern compound and construction which best enhances the performance of the original tyre. Dunlop still offers a wide range of specialist Historic and Vintage tyres from 10" - 19" to suit many applications.

Contact your local distributor for further information.



CR82



CR65



R1



R5



5 STUD

DISTRIBUTORS:

Vic	Stuckey Tyre Service	03 9386 5331	stuckey.com.au
NSW	Garys Motorsport Tyres	02 9676 8655	garysmotorsporttyres.com.au
QLD	Queensland Raceways	07 5461 9100	queenslandraceway.com.au
S.A.	North Terrace Tyres	08 8113 8600	nttyres.com
W.A.	Kosteras Tyre Service	08 9293 3500	kostera.com
Tas	Fulton Enterprises	03 6326 9199	

DUNLOP **MOTORSPORT**

The latest evolution in Dunlop's superb lineup of Tarmac Rally tyres has a symmetrical, directional tread pattern with excellent drainage capability. New casing and profile designs lift dry performance over previous designs with improved "even wear" characteristics.

Dunlop slick racing tyres are offered in a wide range of sizes and several compound options, specifically tailored to the applications to which they are intended. Professional advice should be sought from Qld Raceways your state Dunlop motorsport distributor regarding particular individual needs



Slick

DZ03G



SPECIAL

Buy a set of 4 tyres
get a **Free Entry** to any
General Practice Session or
Sprint Entry at QLD
Raceway or Lakeside

Contact Neil at QLD
Raceways for all your
Motorsport Tyre Needs on
1800RACERS

NEW BOSS 335